

33-0276 4 port 10/100/1000 switch with 2x SFP slots

33-0276 1000Mbps 4 port Gigabit Ethernet Switches supports two types media for network connection, feature 2x 10/100/1000Base-T and 2x 1000Base-SFP module.

The switch is designed with a switch controller and buffer memory that connects two types segments for operation. All the 10/100/1000Mbps RJ45 ports support Half or Full Duplex modes and the SFP ports support 1000Mbps and Full-Duplex modes only.

Power supply is provided externally which results good stability and reliability.

Features


- 2x RJ45 (10/100/1000Mbps) + 2x SFP (1000Mbps)
- Auto negotiation function allows UTP port to auto select 10/100/1000M and Full Duplex or Half Duplex.
- Broadcast storm protection.
- Supporting the max 1536bytes frame.
- Internal circuit of prevented thunder could greatly reduce damage of the converter caused by thunderbolt induction.



Specifications

| Data Interface Optical Port | 2x SFP slot Duplex LC (1000Base) Full Duplex |
|-----------------------------|--|
| Ethernet Port Environmental | 2x RJ45(UTP) 10/100/1000Base Half/Full Duplex |
| Operating Temperature | 0 to + 50 degree C |
| Power supply | external 5V DC power adaptor, 110 or 220V or DC48V |
| Physical size Dimension | 27x125x85mm |
| | |
| | |

Functional Diagram



Ordering Information

| P/N | Description |
|---------|--|
| 33-0276 | 4 port Gigabit Ethernet Switch with 2x SFP slots |