

# **C-series AI Camera**

FD9383 / IB9383 / IT9383









C-series AI camera is VIVOTEK's entry-level AI camera that punches above its weight class. It provides great performance under low light and high contrast light source environment. Combined with AI, this series camera also accurate detects objects and events, receiving alarm accurately no matter where you are, making your place even safer.

#### **Features**

5 MP Resolution Entry-Level Al Camera



Outdoor Rated

IP66 Water Resistant IK10 Vandal Resistant





Built-in Warm Light

Proactive protection from object-of-interest



Vision Object Analytic

Identify people, vehicles and attributes



HardwareSoftware

RealSight Engine

Clear Visibility of people in any lighting



Smart VCA

Accurate detect incidents



Deep Search

Available with supported platform



Trend-Micro<sup>™</sup> IoT Security

Defend and Quarantine Vulnerability Protection







#### Clear Visibility of People in Any Lighting

This feature ensures sharp, detailed capture of individuals, even in motion or challenging lighting conditions, without manual adjustments, the RealSight Engine automatically delivers clear images no matter day or night.









Clearly capture moving figures

Clear and visible images at night

Clearly see portraits under backlight

#### Proactive protection and full color image at night

With the camera's built-in infrared and warm light, it can capture full-color images even at night and provide timely warnings about objects detected during nighttime visits to deter potential criminals.







Smart Phone Footage

IR On Warm Light On

# **Advanced Analytics**



### Accurate object detection in day and night

Class-leading Al Processor effortlessly manages over 25 detection objects for advanced Al analytics.

### AI detection for accurate alarm

VIVOTEK Smart VCA offers precise object and attribute tracking, providing detailed video analytics for targeted monitoring and quick searches.

#### **Built-in Analytics**



Smart Line Motion Crossing



Intrusion



Loitering Fac



ice Cro



Crowd



Missing Object



Unattended Object



Paid Analytics

Running



Parking Violation



Restricted Zone



Perimeter intrusion



Fence jump



Loitering in critical location



Running

# **Complete Video Security with VIVOTEK Solution**

Access and manage all the devices and accounts on a single platform, not only provide accurate incident monitoring, intuitive security system operation on footage investigation and no worries about after-sale support.







#### Best way to search for footage - Deep Search | V - 0



Effortlessly find evidence without the need to access numerous video footages by using Deep Search, which enables efficient searching for video clips based on various attributes. View snapshots of people and their paths, eliminating the need for video replays.



#### Generate case report and export video in organized | V 🕠





Case Vault helps user to manage footage found through Deep Search. Organize clips and export detailed case reports straight from search results, making case management easier.




#### 



Integrated with VORTEX, key individuals can be promptly notified through mobile push on VORTEX app or email, enabling proactive deterrent measures and the prevention of violations.





#### Evidence archived and share through cloud safely — ••







#### Remote troubleshooting — 0

Implement remote connection to address issues promptly, minimize downtime, and streamline operations for return shipping companies.

# **Unified Experience on Milestone and Genetec**



#### Milestone XProtect

Easily enhance your Milestone XProtect with VIVOTEK's AI cameras for instant search evidence by attributes.

### **Genetec Security Center**

Optimize your Genetec Security Center with VIVOTEK's AI cameras for quick evidence searching through Deep Search and export search report.

# **Ordering Information**

Models	FD9383-HV	FD9383-HTV	IT9383-HVW	IT9383-HTVW	IB9383-HV	CC9380-HV- V2
Form Factor	Fixed Dome		Turret		Bullet	
Lens	2.8 or 3.6mm	2.8-12mm	2.8mm	2.8-12mm	3.6mm	2.8-12mm
Aperture	F2.0	F1.6-3.3	F2.0	F1.6-3.3	F2.0	F1.6-3.3
Build-in microphone	×	<b>~</b>	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Illuminators	IR	IR	IR /Warm Light	IR /Warm Light	IR	IR

## **Accessories**





### **Recommend Solution**

